

SUPPLEMENT TO

The Gazette of India



No. 42]

NEW DELHI, SATURDAY, OCTOBER 15, 1955

OFFICIAL PAPERS

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th September, 1955

CHOLERA							CHOLERA						
SMALLPOX		PLAGUE						SMALLPOX		PLAGUE			
C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.	C.	D.
STATES PART (A) & PART (C)							Assam—contd.						
Ajmer							(Estd. mid-year pop. 9,672 thousands).						
TOTAL	I	I	Total for w/c 10-9-55	..	42	22
(Estd. Mid-year pop. 741 thousands).							Total for w/c 3-9-55	..	27	11
Total for w/c 10-9-55	7-yearly mean for the week	..	8	4
Total for w/c 3-9-55	Bhopal						
7-yearly mean for the week	"N.R."						
Andhra							Bihar						
Srikakulam	Patna	..	63	18
Visakhapatnam	I	Gaya	..	68	25
Godavari East	18	3	Shahabad	..	I
Krishna	5	I	Saran	..	5	2
Kurnool	11	8	Darbhanga	20	6	..
Chittoor	2	Monghyr	..	12
TOTAL	..	11	8	26	4	..	Purnea	I
(Estd. mid-year pop. 21,013 thousands).							Manbhum	..	10	3	I
Total for w/c 10-9-55	..	2	I	21	5	..	TOTAL	..	159	48	21	7	..
Total for w/c 3-9-55	..	20	13	31	8	I	(Estd. mid-year pop. 41,828 thousands).						
7-yearly mean for the week	..	373	189	54	9	..	Total for w/c 10-9-55	..	140	47	4	3	..
Assam							Total for w/c 3-9-55	..	302	122	12	5	..
Cachar	12	7	7-yearly mean for the week	..	355	170	17	2	..
Naga Hills	3	..							
Kamrup	50	25							
TOTAL	..	62	32	3							

Explanation of Symbols used : C.—Cases ; D.—Deaths ; ..—Nil ; "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th September, 1955—*contd.*

CHOLERA				SMALLPOX				PLAGUE				CHOLERA			
		C.	D.	C.	D.	C.	D.			C.	D.	C.	D.	C.	D.
Bombay								Madhya Pradesh—<i>contd.</i>							
Surat	3	3	(Estd. mid-year pop. 21,948 thousands).							
Satara South	2	Total for w/e 10-9-55							
Ahmednagar	. . .	I	—	Total for w/e 3-9-55							
East Khandesh	7	I	7-yearly mean for the week							
Ratnagiri	6							
TOTAL	. . .	I	..	18	4	232 113 30 3 9 3							
(Estd. mid-year pop. 38,892 thousands).								Madras							
Total for w/e 10-9-55	. . .	I	I	20	I	Madras . . .							
Total for w/e 3-9-55	. . .	I	I	12	I	Salem . . .							
7-yearly mean for the week	. . .	123	52	53	7	8	3	Mathurai . . .							
Coorg								Tirunelveli . . .							
TOTAL	Malabar . . .							
(Estd. mid-year pop. 256 thousands).								TOTAL							
Total for w/e 10-9-55	. . .	—	—	I	I							
Total for w/e 3-9-55	(Estd. mid-year pop. 37,797 thousands).							
7-yearly mean for the week	—	—	—	—	Total for w/e 10-9-55							
Delhi								Total for w/e 3-9-55							
TOTAL	7-yearly mean for the week							
(Estd. mid-year pop. 1,744 thousands).								. . .							
Total for w/e 10-9-55	. . .	—	—	—	Manipur							
Total for w/e 3-9-55	TOTAL							
7-yearly mean for the week	. . .	—	—	..	—							
Himachal Pradesh								(Estd. mid-year pop. 606 thousands).							
"N. R."								Total for w/e 10-9-55							
Madhya Pradesh								Total for w/e 3-9-55							
Betul	2	7-yearly mean for the week							
Jabalpur	I	..	—							
Sagar	I	Orissa							
Raipur	3	Balasore . . .							
Durg	8	..	—	—	Dhenkanal . . .							
TOTAL	13	2	Kalahandi . . .							
(Estd.-mid-year pop. 15,026 thousands).								Mayurbhanj . . .							
Total for w/e 10-9-55	TOTAL							
Total for w/e 3-9-55	. . .	9	4	17							
7-yearly mean for the week	. . .	18	12	51	5	(Estd. mid-year pop. 606 thousands).							

Explanation of Symbols used : C. = Cases; D. = Deaths; .. = Nil; "N. R." = Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th September, 1955—*contd.*

CHOLERA								SMALLPOX								PLAGUE															
C.								D.								C.								D.							
Punjab (D)								West Bengal—contd.																							
Amritsar	I	I	(Estd. mid-year pop. 26,099 thousands).	Total for w/e 10-9-55	37	25	9	5	Total for w/e 3-9-55	66	29	2	2	7-yearly mean for the week	81	33	15	6		
TOTAL	I	I	Grand Total for States Parts (A) & (C) (excluding Bhopal Himachal Pradesh and Vindhya Pradesh	255	99	135	37	Corresponding (Estd. Mid-year pop. 295,069 thousands).	Corresponding Total for w/e 10-9-55	225	99	143	33	Corresponding Total for w/e 3-9-55	425	181	190	47	I	..		
(Estd. mid year pop. 12,641 thousands).	Total for w/e 10-9-55	Corresponding 7-yearly mean for the week	2,206	914	287	48	17	6	STATES PART (B)	Hyderabad	Raichur	28	10	TOTAL	28	10	
Total for w/e 3-9-55	3	I	Jammu and Kashmir	"N. R."	Madhya Bharat	"N. R."	Mysore	Bangalore	20	11	Bellary	7	3		
7-yearly mean for the week	Patiala and East Punjab States Union	TOTAL			
Tripura	TOTAL																								
(Estd. mid-year pop. 694 thousands.)	Total for w/e 10-9-55																								
Total for w/e 3-9-55																								
Uttar Pradesh	Etawah	2	I																								
Mirzapur	8																								
Deoria	I	I																								
Bahraich	4	I																								
TOTAL	15	3																								
(Estd. mid-year pop. 66,112 thousands).	Total for w/e 10-9-55	12	8																								
Total for w/e 3-9-55	23	8																								
7-yearly mean for the week	..	239	79	9	2																								
Vindhya Pradesh	"N. R."																														
West Bengal	Burdwan	5	4	..	I																								
Birbhum	I																								
Midnapur	..	2	2																								
Howrah	..	2	..	2	2																								
24-Parganas	..	2	..	3	2																								
TOTAL	..	11	7	5	5																								

Explanation of Symbols used : C.—Cases; D.—Deaths; ..—Nil "N. R."—Information not received.

Reported attacks and deaths from cholera, smallpox, plague and typhus in districts in India during the week ending the 17th September, 1955—concl'd.

CHOLERA						SMALLPOX		PLAGUE		CHOLERA						SMALLPOX		PLAGUE			
—		C.	D.	C.	D.	C.	D.	—		C.		D.	C.	D.	C.	D.	—				
Rajasthan								ARREAR INFORMATION													
"N. R."								Bihar													
								w/e 10-9-55													
								Patna	68	21			
								Gaya	49	19			
								Monghyr	6	1			
								Bhagalpur	9	3			
								Purnea	—	1			
								Hazaribagh	2			
								Manbhum	6	3	4	2	..	—			
TOTAL								4	1	TOTAL	140	47	4	3	.
Saurashtra																					
Gohilwad	1												
Halar	1	1												
Zalawad	2												
TOTAL								4	1						
Himachal Pradesh																					
w/e 10-9-55																					
TOTAL									
Grand Total for States																					
Part (B)	.	.	.	55	24	6	1												
Grand Total for States																					
Parts (A), (B) and (C)	310	123	141	38															
Vindhya Pradesh																					
w/e 10-9-55																					
TOTAL								4				

Explanation of Symbols used:—C.—Cases; D.—Deaths; .. —Nil; "N.R." —Information not received.

NEW DELHI-2 (INDIA) ;

The 12th September, 1955)

K. MITRA,

for Registrar General, India.

Prosper with the NATION

INVEST YOUR SAVINGS IN

GOVERNMENT OF INDIA'S *Small Savings Scheme*

and help India's

- COMMUNITY DEVELOPMENT PROGRAMME
- GREAT RIVER VALLEY PROJECTS
- SOCIAL WELFARE SCHEMES
- RAIL AND ROAD DEVELOPMENT

PUT YOUR MONEY IN ANY OF THESE ATTRACTIVE GUARANTEED SECURITIES

12-YEAR NATIONAL SAVINGS CERTIFICATES	Interest at 4.16 per cent per annum at maturity. Available in denominations of Rs. 5/- to Rs. 8,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR TREASURY SAVINGS DEPOSIT CERTIFICATES	3½ per cent interest paid annually. Available in multiples of Rs. 100/- upto Rs. 25,000/-. Individual holding upto Rs. 25,000/-.
10-YEAR NATIONAL PLAN CERTIFICATES	Interest at 4½ per cent per annum at maturity. Issued in denominations of Rs. 25/-, Rs. 50/-, Rs. 100/- & Rs. 500/-. Individual holding upto Rs. 1,000/-.
POST OFFICE SAVINGS BANK ACCOUNTS	2 per cent interest added on deposits upto Rs. 10,000/- and 1½ per cent on balance upto Rs. 15,000/-.
15-YEAR ANNUITY CERTIFICATES	
Issue Prices: Rs. 3,500/-, Rs. 7,000/-, Rs. 14,000/- & Rs. 28,000/-. Individual holding upto Rs. 28,000/-.	Refunded together with compound interest at 3½ per cent per annum in the form of monthly payments spread over a period of fifteen years.

YOU ARE ASSURED OF A HANDSOME RETURN FREE OF INCOME-TAX

For further particulars and/or rules governing these investments please write to the National Savings Commissioner Simla, or to the Regional National Savings Officer of your State.

INVEST IN INDIA'S FUTURE

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th September, 1955

Deaths from :—

—————

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.	I.D.
STATES—(Parts A and C)													
Ajmer													
"N.R."													
Andhra													
Adoni	61	59	50·3	1	1	3	..	13	11·1	1
Anantpur	36	17	24·5	1	1	2	..	8	11·5	..
Anakapalli	45	44	50·8	2	2	2	1	16	18·5	5
Bhimavaram	35	22	32·7	1	..	1	9	13·4	3
Chirala	42	26	32·2	3	..	6	7·4	2
Chittoor	44	45	53·1	6	2	1	2	16	18·9	4
Cuddapah	41	25	32·2	1	4	5·2	2
Ehuru	97	46	24·7	4	2	2	1	33	17·7	3
Gudiyada	35	18	26·8	1	1	13	19·3	2
Guntur	143	199	72·4	3	5	7	1	37	13·5	6
Guntakal	36	29	41·8	1	1	..	1	6	8·6	1
Kakinada	111	53	24·8	9	..	2	..	24	11·2	6
Kurnool	67	121	93·9	1	..	4	..	30	23·3	7
Masulipatnam	86	64	38·7	1	16	9·7	3
Nandyal	37	25	35·1	3	2	..	8	11·2	1
Nellore	92	114	64·4	5	1	3	3	40	22·5	12
Proddatur	41	4	5·2	3	2	2	..	14	18·1	5
Rajahmundry	119	95	41·5	5	1	1	1	33	14·0	5
Tenali	65	54	43·3	2	..	3	2	20	16·0	7
Vijayavada	194	101	27·3	4	1	5	..	42	11·3	9
Visakhapatnam	124	107	44·9	6	..	9	1	43	18·0	11
Vizianagaram	74	52	36·5	7	2	2	..	25	17·6	6
TOTAL	1,625	1,320	42·2	62	27	53	14	456	14·6	101
Assam													
Shillong† Gauhati Dibrugarh†	50	5	5·2	7	10	17·4	..
Silchar	42	11	13·6	3	..	1	..	7	8·7	2
TOTAL	92	16	9·0	10	..	1	..	17	9·6	2
Bhopal													
Bhopal City†	114	49	22·4	2	..	1	..	6	2·7	..
Bihar													
"N.R."													
Bombay													
Ahmedabad	870	986	58·9	25	29	90	..	403	24·1	157
Ahmednagar	87	90	53·8	4	5	4	2	22	13·1	3
Amalner	49	60	63·6	10	16	16·9	6
Bagalkot	36	42	66·0	2	1	5	7·2	1
Baroda	237	256	56·1	16	4	11	1	67	14·7	17
Barsi	45	31	35·8	6	1	26	30·0	5
Belgaum	109	70	33·4	3	..	3	..	27	12·8	4
Bhusawal	61	66	56·2	6	2	1	..	14	11·9	2
Bijapur	73	63	44·8	4	..	1	..	11	7·8	..
Broach	66	69	54·3	11	..	1	..	25	19·7	4
Cambay	41	67	84·9	1	7	8·9	4
Chalisgaon† Dharwar Dhulia	75	41	29·2	1	8	5·6	..
	87	66	39·4	8	1	2	..	18	10·8	5

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :— B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—No information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th September, 1955—*contd.*

Deaths from :—														
Town	Mld.-year Popn.-Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.	
Bombay—contd.														
Gadag Betegeri	70	58	43·0	4	1	4	2	19	14·1	4	
Godra	40	33	42·9	8	..	2	1	13	16·9	3	
Greater Bombay	3,335	2,011	31·4	2	39	136	1	718	11·2	210	
Hubli	144	72	26·0	8	1	23	8·3	2	
Jalgaon	77	53	35·8	9	..	2	..	18	12·2	5	
Kalyan	70	57	38·1	3	..	2	..	9	6·6	3	
Kolhapur	155	162	54·3	8	8	9	..	63	21·1	18	
Malegaon	62	69	57·9	6	1	2	..	14	11·7	3	
Niraj	44	28	33·0	13	15·3	1	
Nadlad	70	78	57·9	15	27	20·0	3	
Nandurbar	34	23	35·2	3	3	11	16·8	1	
Nasik†														
Navsari	49	33	35·0	7	14	14·9	3	
Pandharpur	44	43	50·8	5	6	10	..	31	37·4	12	
Patan†														
Poona	584	381	33·9	1	7	48	6	187	16·1	59	
Sangli	57	37	33·7	3	1	12	10·9	5	
Satara	40	36	46·8	1	..	4	..	16	20·8	4	
Sholapur	293	391	56·6	12	9	46	1	131	23·2	39	
Surat	245	153	32·5	6	2	12	2	76	16·1	30	
Thana†														
TOTAL	7,249	5,553	39·8	196	120	390	19	2,038	14·6	613	
Delhi State														
Delhi City	1,085	1,011	48·5	83	20	30	2	212	10·2	72	
New Delhi	355	198	29·0	5	6	9	..	117	17·1	24	
N.A.C. Civil Station, Delhi	111	149	69·8	1	1	3	..	16	7·5	7	
Delhi Cantt.	49	24	25·5	4	4·2	..	
Delhi-Shahdra	51	61	62·2	7	1	2	..	12	12·2	4	
TOTAL	1,651	1,413	45·4	96	28	44	2	361	11·4	107	
Madaya Pradesh														
"N.R."														
Madras														
Ambur	44	19	22·5	1	..	7	8·3	..	
Aruppukottai	54	40	38·5	4	6	1	..	14	13·5	..	
Bodinayakanur	39	27	36·0	1	1	7	9·3	2	
Cannanore	46	37	41·8	2	..	17	19·2	2	
Chidambaram	38	48	65·7	1	..	1	2	12	16·4	..	
Coimbatore	227	249	57·0	2	14	14	..	68	15·6	21	
Cuddalore	73	38	27·1	1	..	2	1	24	17·1	6	
Dindigul	88	56	33·1	2	4	2	1	22	13·0	8	
Erode	65	71	56·8	1	2	2	1	8	14·4	2	
Gobichetty†														
Palayam	37	16	22·5	2	..	3	4·2	2	
Guddiyattam	51	28	28·5	4	3	2	1	12	12·2	10	
Kancheepuram	89	86	50·2	12	..	29	16·9	7	
Karalkudi	43	28	33·9	1	..	1	..	8	9·7	1	
Karur	48	29	31·4	10	10·8	4	
Kozhikode	173	248	74·5	6	2	11	4	88	26·5	12	
Kumbakonam	102	121	61·7	1	2	1	1	26	13·3	4	
Madras	1,649	1,568	49·4	44	118	178	5	710	22·4	223	
Mangalore	133	98	38·3	2	..	3	1	24	9·4	6	
Mathurai	415	353	44·2	1	14	38	..	116	14·5	30	
Mayuram	48	45	48·7	1	1	1	1	12	13·0	2	

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

†Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil Information; "N.R."—Information not received.

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th September, 1955—*contd.*

Deaths from :—

Town	Mid-year Popn.-Est. (000)	B.	B.R.	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Madras—<i>contd.</i>													
Melapalayam	40	16	20.8	2	1	3	..	15	19.5	3
Nagapattinam	60	74	64.1	2	4	1	..	18	15.6	3
Ottacamund	46	40	45.2	6	..	19	21.5	7
Palni	39	20	26.7	1	..	3	..	10	13.3	3
Palayamkottai	44	22	26.0	1	1	1	11	13.0	3
Palghat	76	63	43.1	3	3	4	1	31	21.2	9
Periyakulam	33	19	29.9	1	2	..	9	14.2	3
Pollachi	49	54	57.3	4	3	2	..	24	25.5	8
Pudukottai	49	45	47.8	1	..	7	7.4	2
Rajapalayam	67	39	30.3	1	1	1	..	10	7.8	2
Salem	234	147	32.7	5	6	12	..	59	13.1	7
Grirangam	41	12	15.2	6	7.6	..
Srivilliputtur	43	33	39.9	1	..	4	1	14	16.9	3
Tanjore	115	53	24.0	2	3	4	1	24	10.9	2
Tellicherry	42	49	60.7	3	..	4	1	19	23.5	3
Tiruchirappalli	245	135	28.7	1	4	14	1	68	14.4	15
Thiruvallur	79	77	50.7	2	4	..	22	14.5	6
Tiruppur	61	38	32.4	3	9	7.7	6
Tiruvannamalai	44	34	40.2	3	..	12	14.2	2
Tuticorin	109	90	42.9	2	8	1	23	11.0	7
Vaniyambadi	42	28	34.7	1	..	6	7.4	3
Vellore	121	138	59.3	1	3	9	..	47	20.2	13
Villupuram	39	51	68.0	1	2	9	12.0	1
Virudunagar	51	70	71.4	1	4	1	..	11	11.2	4
TOTAL	5,231	4,552	45.3	100	209	362	26	1,710	17.0	457
Orissa													
Berhampur	70	70	52.0	3	1	2	..	18	13.4	4
Cuttack	114	118	53.9	7	1	9	..	43	19.7	6
Puri	53	36	35.4	5	6	1	1	27	26.6	4
TOTAL	237	224	49.1	15	8	12	1	88	19.3	14
Punjab (I)													
Ambala	64	81	66.0	2	1	2	1	14	11.4	8
Amritsar	335	283	44.0	..	1	8	36	1	120	18.7	40
Batala	61	61	52.1	9	11	9.4	3
Bhiwani	56	76	70.8	4	2	..	1	15	14.0	7
Ferozepore	43	33	40.0	1	..	3	..	8	9.7	1
Hissar	38	41	56.2	6	1	14	19.2	6
Hoshiarpur	50	33	34.4	5	1	..	9	9.4	4
Jullundur	194	121	32.5	1	3	7	..	18	4.8	3
Karnal	69	51	38.5	2	..	2	..	5	3.8	2
Ludhiana	172	225	68.2	11	..	5	..	47	14.2	16
Moga	40	46	60.0	2	8	10.4	4
Paupat	62	49	41.2	8	3	2	..	19	16.0	7
Pathankot	33	26	41.1	2	4	6.3	2
Rewari	36	38	55.1	1	..	1	..	6	8.7	1
Rohtak	102	89	45.5	6	1	1	..	16	8.2	7
Simla	49	49	52.0	1	..	8	8.5	8
Sonapat	33	49	77.4	8	10	15.8	4
TOTAL	1,437	1,351	48.9	..	1	..	63	24	61	3	332	12.0	123

*In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fever ; D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D.—Infantile Deaths (included in total deaths) ; ..—Nil information.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th September, 1955—*contd.*

Deaths from :—

Town	Mid.-year Popn.-Est. (000).	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.D.
Uttar Pradesh													
Agra	367	574	82.3	7	9	61	—	130	18.4	44.
Allahabad	342	210	32.0	1	4	20	1	62	9.4	21
Amroha	60	64	55.6	9	..	4	..	24	20.8	10.
Bahraich	46	29	32.9	2	7	7.9	2.
Banaras	375	485	67.4	43	20	14	..	224	31.1	63.
Ballia†													
Banda	32	22	35.8	2	1	3	..	9	14.7	4.
Bareilly	201	109	28.3	16	4	8	3	41	10.6	15
Bijnor†													
Budaun	54	52	50.2	7	1	2	..	14	13.5	3
Basti†													
Bulandshahr†													
Chandauli	40	58	75.6	11	4	2	..	25	32.6	13.
Dehra Dun†	141	60	22.2	4	..	3	..	15	5.5	1.
Etawah	63	68	56.3	10	3	2	..	27	22.3	8.
Faizabad-Ayodhya	85	45	27.6	1	1	1	..	7	4.3	1.
Farrukhabad-Fatehgarh	81	75	48.3	3	6	3	..	21	13.5	8.
Ferozabad	76	46	31.6	3	—	..	1	7	4.8	2.
Ghaziabad	45	92	106.6	12	16	18.5	10.
Ghazipur	36	32	46.3	6	—	1	..	13	18.8	..
Gorakhpur	137	72	27.4	4	..	2	..	18	6.8	4.
Gonda	34	21	32.2	2	5	7.7	1.
Hapur	48	62	67.3	7	2	2	..	20	21.7	9.
Hardwar	63	46	38.1	12	20	16.5	11.
Hathras	61	96	82.1	18	4	3	..	34	29.1	13.
Jaunpur	56	30	27.9	3	..	5	..	15	13.9	1.
Jhansi	115	121	54.9	18	6	33	15.0	6.
Kanpur	716	626	44.0	134	19	49	7	346	24.3	105.
Kasganj	34	15	23.0	2	2	3.1	1.
Khurja	40	45	58.7	5	..	2	..	10	13.0	6.
Koll-Aliagarh	148	110	38.7	12	5	1	1	34	12.0	10.
Lucknow	485	595	64.0	14	8	25	1	132	14.2	52.
Mathura	108	144	69.5	12	3	10	..	40	19.3	10.
Mau-Nath Bhanjan	37	29	40.9	..	1	..	4	4	12	16.9	2.
Meerut	181	125	36.0	15	1	3	..	24	6.9	8.
Mirzapur-Vindhyachal	95	84	46.1	10	1	3	..	19	10.4	7.
Moradabad	163	185	59.2	9	6	15	..	50	16.0	13.
Muzaffarnagar	72	60	43.4	8	2	12	8.7	5.
Pilibhit	45	53	61.4	8	1	3	..	15	17.4	6.
Rampur†													
Saharanpur	156	146	48.2	17	2	1	..	40	13.2	25.
Samthal	64	73	59.5	12	2	2	1	28	22.8	6.
Shahjahanpur†													
Sitapur	48	34	36.9	2	..	3	..	9	9.8	4.
TOTAL†	4952	4793	50.3	..	1	..	465	119	253	15	1560	16.4	510..
West Bengal													
Asansol†													
Baidyabati	33	13	20.5	1	..	3	4.7	1.
Bally	65	23	18.5	5	4.0	2.
Bankura†													
Bansberia†													
Baranagar	87	64	38.3	4	2	1	..	20	12.0	..
Basirhat	39	7	9.3	1	1	1	..	6	8.0	2.
Berhampur	62	57	47.8	4	16	13.5	3.
Bhadreshwar	34	7	10.7	1	1	2	..	5	7.7	2.
Bhatpara	141	36	13.3	..	1	..	8	..	1	1	30	11.1	11.
Budge-Budge	32	20	32.5	1	..	1	..	3	4.9	..
Burdwan	81	13	8.4	3	..	8	5.1	..
Calcutta	2,931	1593	28.3	47	53	113	3	596	10.6	179.
Champdani	40	34	44.2	1	2	2.6	..
Cooch Behar†													

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available

Explanation of symbols used :—B.—Births ; B.R.—Birth Rate ; C.—Cholera ; S.—Smallpox ; P.—Plague ; F.—Fevered D.D.—Dysentery and Diarrhoea ; R.D.—Respiratory Diseases ; M.D.—Maternal Deaths ; D.R.—Death Rate ; I.D. Infantile Deaths (included in total deaths) ; ..—Nil information ; “N.R.”=Information not received

Births and deaths from principal diseases in towns with a population of over 30,000 in India for the week ending the 17th September, 1953—*contd.*

Town	Mid-year Popn.-Est. (000)	B.	Deaths from :—								Total	D.R*.	I.D.	
			B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.				
West Bengal—contd.														
Darjeeling	37	13	18.3	2	..	1	..	5	7.0	..	
English Bazar†														
Garden Reach	121	19	8.2	5	1	2	1	18	7.8	..	
Halisahar	40	1	1.3	
Hooghly-Chinsurah	60	63	54.6	5	2	1	..	12	10.4	..	
Howrah	471	192	21.2	..	2	..	7	26	31	..	116	12.8	..	44
Jalpaiguri†														
Kamarhati†														
Kanchrapara	71	12	8.8	
Krishnagar†														
Midnapur	44	18	21.3	2	1	2	..	18	21.3	..	
Nabadwip	67	37	28.7	5	..	1	2	11	8.6	..	1
Naihati	61	1	0.9	2	..	5	..	8	6.8	..	1
North Barrackpore	36	6	8.7	2	2.9	..	
Panihati	62	6	5.0	
Shantipur	48	39	42.3	4	4.3	..	3
Serampore	82	43	27.3	9	..	1	..	20	12.7	..	8
Siliguri	42	17	21.1	3	3.7	..	
South Dum Dum	79	1	0.7	
South Suburban	120	8	3.5	3	5	2.2	..	
Titagarh	76	25	17.1	11	14	9.6	..	2
TOTAL	5,062	2,368	24.3	..	3	..	115	90	167	7	930	9.6	263	

STATES (PART B)

Jammu & Kashmir

"N.R."

Madhya Bharat

"N.R."

Mysore

Bangalore	936	792	44.0	5	37	87	..	224	12.4
Mysore	285	135	24.6	12	5	11	..	65	11.9
Kolar Gold Fields	170	83	25.4	4	2	4	..	32	9.8
Davangere	67	29	22.5	2	13	10.1
TOTAL	1,458	1,039	37.1	23	44	102	..	334	11.9

PEPSU

Patiala City	108	104	50.1	16	2	2	..	28	13.5	13	..
Malerkotla	34	39	59.6	3	1	9	13.8	3	..
Bhatinda	38	38	52.0	3	6	8.2	3	..
TOTAL	180	181	52.3	22	3	2	..	43	12.4	19	..

Rajasthan

Alwar	60	41	35.5	3	2	1	..	11	9.5	5	..
Bharatpur†	117	50	22.2	6	3	10	..	26	11.5	6	..
Bikaner	46	16	18.0	1	2	2.3
Churu	45	12	13.8	..	6	..	10	16	18.5	2	..
Ganganagar	45	13	15.0	3	7	8.0	1	..
Tonk	71	26	19.0	8	..	1	..	10	7.3	2	..
Kotah	341	105	16.0	21	4	24	2	65	9.9	30	..
Sikar†	103	20	10.0	7	1	4	..	20	10.0	2	..
Jalpur	196	76	20.2	14	3	17	..	46	12.2	15	..
Udaipur
Jodhpur	1024	359	18.2	..	6	..	73	13	57	2	203	10.3	63	..
TOTAL	1,024	359	18.2	..	6	..	73	13	57	2	203	10.3	63	..

* In cases of towns where there has been an abnormal movement of population, it is likely that the population estimates may not be sufficiently reliable for calculating the birth and death rates.

† Figures not available.

Explanation of symbols used :—B.—Births; B.R.—Birth Rate; C.—Cholera; S.—Smallpox; P.—Plague; F.—Fever; D.D.—Dysentery and Diarrhoea; R.D.—Respiratory Diseases; M.D.—Maternal Deaths; D.R.—Death Rate; I.D.—Infantile Deaths (included in total deaths); ..—Nil information. N.R., Information not received.

Births and deaths from principal diseases in towns with a population of 30,000 and over in India for the week ending the 17th September, 1955—*concl'd.*

Deaths from 1—

Town	Mid-year Popn. Est. (000)	B.	B.R.*	C.	S.	P.	F.	D.D.	R.D.	M.D.	Total	D.R.*	I.L.
Travancore-Cochin													
Alleppey	142	77	28.2	3	1	..	2	22	8.0	3
Changanacherry	40	40	52.0	2	5	6.5	..
Ernakulam	69	56	42.2	4	2	19	14.3	5
Kottayam	49	19	20.2	9	9.9	..
Mattanchery	83	66	41.3	2	2	..	2	20	12.5	4
Nagercoil	91	30	17.1	3	15	8.6	2
Quilon	73	116	82.6	1	15	10.7	3
Trichur	75	40	27.7	17	11.8	1
Trivandrum City	213	81	19.8	2	3	45	11.0	3
TOTAL	835	525	32.7	16	9	..	4	167	10.4	21
Saurashtra													
Bhavnagar	153	89	30.3	18	6	3	..	48	16.3	8
Dhoraji	46	33	37.3	3	13	14.7	..
Gondal	40	40	52.0	5	2	11	14.3	..
Jamnagar	119	25	11.0	9	1	3	..	19	8.3	6
Junagadh	65	26	20.8	20	2	1	..	32	25.6	12
Morvi	42	20	24.8	2	3	1	..	6	7.4	3
Porbandar	63	16	13.2	5	1	1	1	12	9.9	3
Rajkot	161	123	39.7	11	3	7	..	38	12.3	19
Surendranagar	41	10	12.5	3	..	2	..	7	8.9	3
Veraval	45	14	16.2	2	..	1	..	6	6.9	1
TOTAL	775	396	26.6	78	18	19	1	192	12.9	55

ARREAR RETURNS

Rajasthan

upto 10th September 1955

Jodhpur. . . .	196	37	9.8	7	..	7	1.9	..
----------------	-----	----	-----	----	----	----	----	----	---	----	---	-----	----

REMARKS

The figures of births and deaths shown in this statement for week ending the 17th September, 1955, relate to 226 towns with an estimated population of 31,922 thousands. The total number of towns is 300 and their population is 38,988 thousands. Thus 75% of the total number of towns representing 82% of the total population is covered in this statement. The number of births and deaths recorded in these towns were 24,169 and 8,437 representing birth and death rates of 39·4 and 13·7 per thousand of population respectively.

(A) States (Parts A and C).—The data here relate to 191 towns with an estimated population of 27,650 thousands. Information about Ajmer, Bihar, and Madhya Pradesh could not be included. The total number of towns is 252 and their population is 32,572 thousands. Thus 76% of the total number of towns representing 85% of the total population is covered. The number of births and

deaths recorded in these towns were 21,669 and 7,498 representing birth rates and death rates of 40·8 and 14·1 per thousand of population respectively. The table at the end gives the position by States.

No town recorded a high death rate of 50 or over per thousand of population.

(B) States (Part B).—The data here relate to 35 towns with an estimated population of 4,272 thousands. The total number of towns is 48 and their population is 6,416 thousands. Thus 73% of the total number of towns representing 67% of the total population is covered. The number of births and deaths recorded in these towns were 2,500 and 939 representing birth and death rates of 30·4 and 11·4 per thousand of population respectively. No town recorded a high death rate of 50 or over per thousand of population.

States	Current w/e 17-9-55		Corresponding w/e last year		Corresponding mean during the previous 5-year period	
	B.R.	D.R.	B.R.	D.R.	B.R.	D.R.
Andhra . . .	42·2	14·6	42·1	14·7	†	†
Bombay . . .	39·8	14·6	39·9	15·0	37·9	18·7
Delhi . . .	45·4	11·4	45·2	11·8	49·6	12·2
Madras . . .	45·3	17·0	43·2	19·9	†	†
Orissa . . .	49·1	19·3	45·5	16·7	42·2	21·8
Punjab (I) . .	48·9	12·0	50·3	10·1	42·2	12·4
Uttar Pradesh .	50·3	16·4	43·0	19·5	42·4	20·9
West Bengal . .	24·3	9·6	25·9	9·7	24·0	12·8
India (only States Parts A and C)	40·8	14·1	42·8	16·8	39·6	19·0

† Figures not available.

NEW DELHI-2 (INDIA) }
The 10th October 1955 }

K. MITRA,
for Registrar General of India

